

	Hits	Search Text	DBs
1	227	(payment and ATM).ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	30	S1 and pins	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	30	S2 and payment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	30	S3 and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1053 73	"30" and pin.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	6	S4 and (personal adj identification adj number).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	21	S4 and pin.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	3765 4	"21" and ((stor\$6 or database) same pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	14	S7 and ((stor\$6 or database) same pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	19	S3 and ((stor\$6 or database) same pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	6220 62	"30" and "pins"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	30	S4 and "pins"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	S9 and (pair with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	8526 8	"30" and (pair with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	0	S4 and (pair with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	1004 94	(pair with pins) and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2196 9	(pair with pins).ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	S1 and (pair with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	S17 and (enrcrypt\$6 with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	S17 and (encrypt\$6 with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	S21 and encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	1126	S17 and (pins with different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	1	S12 and (different with pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	5195	(two with different with pins) and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1244	(two with different with pins).ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1115 69	((personal adj identification adj number) or pin).ti. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1115 69	((personal adj identification adj numbers) or pins).ti. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	14	S27 and payment.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	26	S27 and payment.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	178	(ATM and "pins").ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	34	(ATM and "pins").ab. and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	54	(dual adj pins) and (@pd<"19990910" or @ad<"19990910" or @rlad<"19990910" or @rlpd<"19990910")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2135 3	"54" and payment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	S32 and payment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB